MAITHRI GEO-CONSULTANCY

119, 7th Cross, Ramakrishnaiah Layout, Malagala Main Road,
Bangalore - 91. Phone - 23383106 Mobile - 9901709701

218

Ground water investigation report

Ref _____ Date 24/2/2020

Name Assistant Executive Engineer

Address Kodigehalli Sub division

Byatarayanpura division BBMP

Location 13th Cross Jalageramma temple road Lottegollahalli.

Topography Moderate Slope Soil type Granite Sandy

Rock type Granite Gneiss Aquifers 110 - 130 - 150 - 170

Nos.

RECOMMENDATIONS

Depth 240mts - 300mts

Casing 40mts - 50mts

Yield 1800 - 2000 GPH

Depth 240mts - 300mts

Casing 40mts - 50mts

Yield 1800 - 2000 GPH

Remarks _____

Although best site has been suggested for drilling, no guarantee of success can be given. We will not be liable for any loss in any way, to the party or person, irrespective of the well drilled at the site recommended, being failure.

A.W.S

Purushottam Bhat
M.Sc. Applied geology
Hydrologist

ವರಲಕ್ಷ್ಮಿ ಬೋರ್‌ವೆಲ್ಸ್ ಮತ್ತು ಪಂಪ್ಸ್

VARALAKSHMI BOREWELLS & PUMPS

BOREWELL DRILLING CONTRACTORS

Approved by Govt. of Karnataka

168, 1st Main, Vidyaranyanagar, (Near Old Tollgate Bus Stop) Magadi Main Road, Bangalore-560 023.

Ph. : 23503525 / 23356230
Mob. : 9845414209
9945336749

YIELD TEST CERTIFICATE

1. Name & Address of Beneficiary : AEE Kodigehalli sub division
2. Borewell Location : Site at 13th cross Jalgeramma temple road Lottegollahal City / Village No 08 Kodigehalli
3. Date of commencement of drilling :
4. Date of completion of drilling : 9/3/2020
5. Size of borewell drilled (dia) : 6" BW
6. Depth of borewell drilled (Fts.) : 942 Ft
7. Casing Pipe installed (Fts.) : 160 Ft + 148 Ft (inner & outer)
8. Method of Test : V-Notch.
9. Duration of Test : 6 hours.
10. Date of Test : 11/3/2020
11. Yield (GPH) : 2½ 1800 gph.
12. Static Water (Fts.) : 220
13. Type of Water : Soft / ~~Hard~~ / Clear / ~~Silty~~
14. Remarks if any Boulders / Silt : Boulder
15. Type of Pumpset Recommended : Submersible / ~~Jet~~ / Compressor

We hereby certify the yield test was conducted by us at borewell drilling in our presence.

The Yield of the borewell is ..... 1800 .....GPH. The other particulars mentioned above are correct.

Signature of Beneficiary

AEW.8

Assistant Executive Engineer.
Kodigehalli Sub Division,
Yelahanka Zone, B.B.M.P.,
Bangalore.

For VARALAKSHMI BOREWELLS

Seal & Signature of the Drilling Agency

Proprietor

BANGALORE ELECTRICITY SUPPLY COMPANY LIMITED

(Undertaken by the Govt.of Karnataka)

AEE(E) / AE(T) /

Office of the Asst.Exe. Engineer (Ele.,)
C9. Sub Division.
Date : 10-06-2020.

To,
AEE, BBMP
Kodigehalli Sub Division
Bangalore

Sir/Madam,

Sub : Permission to Purchase Single Phase meter for Domestic / Commercial Installations by prospective consumer.

Ref : 1. Com. order No. Dir (T) / SEE (T) BC – 20 /02 -03 / 5507 / 21-11-02.
2. Your option letter dated 10-06-2020 -20
3. Work Order No. C-15985 Dt 10-06-2020 ,

Approval is accorded as per provisions of BESCOM order cited under reference to purchase the single – phase meter for availing new service to domestic/commercial installations subject to following conditions.

a) You have to purchase the specified meter (Siemens, L&T, TTL, DZG, CG Slumberger) from the BESCOM's identified/authorized manufacturer's retail out-let situated at C8 Sub Division, ... by producing this letter duly paying the cost of Rs..... plus applicable taxes plus service charges of 3%.

b) You have to intimate the undersigned after purchasing the meter within 3 days since servicing of the installation has to be arranged.

c) You have to ensure that the meter, which is sold to you in a cardboard cartoon duly sealed, shall not be tampered with.

d) You have to produce Photostat copies Meter Test Certificate, Warranty Certificate and cash receipt at the time of service so as to maintain the same in our records.

We thank you for your co-operation and feel free to contact us for any clarifications as we are striving hard to serve our customers.

Yours faithfully,

Asst. Exe. Engineer (Ele.,)
..... Sub Division

Copy to :

M/s. L&G for information and to supply Nos. One(1) Capacity 3x5-30A 3Ø meters duly collecting the cost of meters as the work order has been released vide No. C-15985 dated 10-06-2020 .....

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ
BANGALORE ELECTRICITY SUPPLY COMPANY LIMITED

Date : 15 JUN 2020

TEST CERTIFICATE

This is to certify that the meter received from **M/s. Landis+Gyr Limited** is tested good. It is sealed in the MT laboratory having the Meter & Seal details as below.

Meter Details :

Make	: Landis+Gyr	3P, 4W, Whole Current	3 x 240V (L-N)
Type	: ZMI310	4000 Imp/kWh	5-30A
Class	: 1.0	50 Hz.	

SI. No.: E01/4443 initial reading 00000

The meter is sealed with Polycarbonate seal with SI. No. BME 29608

Asst. Executive Engg. (Ele.),
BMAZ, BESCOM,
Bangalore.

	01	1466.67	
		1466.	67
CGST @ 9%		132.	00
SGST @ 9%		132.	00
GRAND TOTAL		1732.	67

BESCOM DVN : C-9

W.O. No. C-15985 Date 10/06/2020

Total Invoice Value (In Words) : One thousand Seven Hundred Thirty & Sixty Seven paisa

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), S-9 Sub-Division,
BESCOM, Padmanabhanagar,
BENGALURU - 560070.

Customer Name AEE BBMP
Address Kodigehalli. Sub Division
Blore

GSTIN :

BILL No. **PBN/20/** 02106

DATE : 15/06/2020 TIME : 3:30 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos. E614443	01	1466.61	1466.	61

BESCOM DVN : C-9
W.O. No. C-15985 Date 10/06/2020

Total Invoice Value (In Words) : One thousand Nine Hundred Thirty & Sixty Seven paisa

CGST @ 9%	132.	00
SGST @ 9%	132.	00
GRAND TOTAL	1730.	61

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

(2)

VARANYAPURA

Rcpt Number	826609590242
Rcept Date	09-06-2020 11:04:11
Cash Counter	BESCOM: Bengaluru C9 Subdivision Counter
Payor Account ID	8266095662
Person Name	A E E B B M P
RR Number	
Total Payment	Rs9,140.00
Mode of pay	Draft
Cheque /DD No	012008
Bank Name	AB
Purpose	Deposits
Non Revenue category	2MMD-FEE

C-9 Sub Division, Vidyaranyapura
ಬೆಸ್ಕಂ BESCOM
Bangalore 560097

Nine Thousand One Hundred Forty Rupees Only

---------- THANK YOU ----------

(2)

DYARANYAPURA

ipt Number 826609548438
iept Date 27-05-2020 15:02:05
sh Counter BESCOM: Bengaluru C9 Subdivision Counter
ayor Account ID 8266095662
Person Name A E E B B M P
RR Number
Total Payment Rs9.00
Mode of pay Cash
Purpose Non Revenue
Non Revenue category CGST-FEE

Nine Rupees Only

C-9 Sub Division, Vidyaranyapura ಬೆಸ್ಕಾಂ BESCOM Bangalore 560097

---------- THANK YOU ----------

C9 VIDYARANYAPURA

Receipt Number 826609549731
Reciept Date 27-05-2020 15:02:05
Cash Counter BESCOM: Bengaluru C9 Subdivision Counter
Payor Account ID 8266095662
Person Name A E E B B M P
RR Number
Total Payment Rs9.00
Mode of pay Cash
Purpose Non Revenue
Non Revenue category SGST-FEE

Nine Rupees Only

C-9 Sub Division, Vidyaranyapura ಬೆಸ್ಕಾಂ BESCOM Bangalore 560097

---------- THANK YOU ----------

C9 VIDYARANYAPURA

Receipt Number 826609520194
Reciept Date 27-05-2020 15:02:05
Cash Counter BESCOM: Bengaluru C9 Subdivision Counter
Payor Account ID 8266095662
Person Name A E E B B M P
RR Number
Total Payment Rs100.00
Mode of pay Cash
Purpose Non Revenue
Non Revenue category REG-FEE

One Hundred Rupees Only

C-9 Sub Division, Vidyaranyapura ಬೆಸ್ಕಾಂ BESCOM Bangalore 560097

---------- THANK YOU ----------

(1)

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್

ಅಂದಾಜನ್ನು ಒಳಗೊಂಡ ಸಮಾಪನ ವರದಿ ಶ್ರೀ (ಹೆಸರು ಮತ್ತು ವಿಳಾಸ) ..... ಅರ್ಜಿ ಸಂಖ್ಯೆ ..... 01 ..... ಅಂದಾಜು ಸಂಖ್ಯೆ ..... KEIST .....
ಪ್ರಮಾಣ ..... 10HP x 01 = 10HP ..... ದಿನಾಂಕ ..... 30.01.2020 .....

ಕ್ರಮ ಸಂಖ್ಯೆ	ವಿವರ	ಸಾಮಾಗ್ರಿ ಸಂಕೇತ ಸಂಖ್ಯೆ	ದರ	ಅಂದಾಜು ಮಾಡಿದಂತೆ ಪರಿಮಾಣ	ನಿರೀಕ್ಷಿಸಿದಂತೆ ಮೊಬಲಗು ಪರಿಮಾಣ, ಸರಕು ಪಟ್ಟಿ ಸಂ.ಮತ್ತು ದಿನಾಂಕ
೧.	ಮಾಪಕ ಸಿಂ. ಫೇಸ್ ..... ಅಂಪ್ಸ್ ಮಾಪಕ 3 ಫೇಸ್ ..... 3x30 ..... ಅಂಪ್ಸ್		2000/-	01	2000/-
೨.	ಓವರ್‌ಹೆಡ್ ಮಾರ್ಗದಿಂದ ಫೋಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡಿನವರೆಗೆ ಸಪರ್ಕಕ್ಕಾಗಿ ಏರಿಯಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡು ಕಟ್‌ಔಟ್ ಒಟ್ಟಾರೆಯಾಗಿ			1 Lump.	500/-
೩.	ಇತರೆ, ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ (ವಿವರ ಒದಗಿಸಿರಿ)				
೪.	ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಸಂಪರ್ಕ ಮಾರ್ಗದ ಮುಂಡಳಿಯ ಪಾಲಿನ ಒಬಲಗು		ಇಲ್ಲ ಸಿಂ. ಫೇಸ್ ರೂ. **400/750** 3 ಫೇಸ್ ರೂ. **500/1,000**		
೫.	ಬಾಕಿ ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ			Contl:	ನಿಲ್
೬.	ಒಟ್ಟು ಮೊತ್ತ				2500/-

ಸಂಪರ್ಕ ವಿಧಾನ		ಷರಾ
(ಅ) ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗ	☐	Apl to or Extn of existing
(ಆ) ಉದ್ದೇಶಿತ ಸಂಪರ್ಕ ಮಾರ್ಗ	☐	Extn of existing
(ಇ) ಓವರ್ ಹೆಡ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	☐	Extension of line
(ಈ) ಭೂಗತ ಕೇಬಲ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	☐	Cable Connection
(ಉ) ರಸ್ತೆ/ಪಾದಚಾರಿ ರಸ್ತೆ ಅಗೆಯುವ ಅಗತ್ಯ ಇದೆಯೇ ಅಥವಾ ಇಲ್ಲವೇ ಸಂಬಂಧಿಸಿದ ಚೌಕದಲ್ಲಿ ಗುರುತು ಮಾಡಿರಿ	☐	Road Cutting

ಧೃಢೀಕರಣ : (ಅಂದಾಜನ್ನು ಸಿದ್ದಪಡಿಸುವ ಅಧಿಕಾರಿಯು ನೀಡತಕ್ಕದ್ದು)

೧. ಆವರಣವನ್ನು ಪರೀಕ್ಷಿಸಿದ ನಂತರ ನಾನು ಅಂದಾಜನ್ನು ಸಿದ್ಧ ಪಡಿಸಿದ್ದೇನೆ. ಮತ್ತು ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನವನ್ನು ನಿಗದಿಪಡಿಸಿ ಅದನ್ನು ಬಳಕೆದಾರರಿಗೆ/ಅವರ ಪ್ರತಿನಿಧಿಗಳಿಗೆ ತೋರಿಸಿದ್ದೇನೆ.

೨. ..... ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಗಾತ್ರದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಮಾರ್ಗವನ್ನು ಹಾಕಬೇಕಾಗಿದೆ. ಹಾಲಿ ಇರುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ಒತ್ತಡದಲ್ಲಿಯೇ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್‌ನ ..... ಗಾತ್ರದ ಓ.ಹೆಡ್/ಭೂಗತ ಕೇಬಲ್ ಸೇವಾಮಾರ್ಗದಲ್ಲಿಯೇ ಹೆಚ್ಚುವರಿ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ವಿದ್ಯುತ್ತನ್ನು ಹಾಯಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ.

ಶಾಖಾಧಿಕಾರಿ (ಕಛೇರಿ ಮೊಹರ್)

೧. ..... ವಿ.ಸ.ಕಂ.ನಿ. ನಿರ್ದೇಶನಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಐ.ಎಸ್.ಐ. ಗುರುತನ್ನುಳ್ಳ ..... ಗಾತ್ರದ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಓವರ್‌ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಕೇಬಲ್ ಮಾರ್ಗಗಳನ್ನು ಒಳಗೊಂಡಂತೆ ಮಾಪಕ ಹಲಗೆಯ ಜೋಡಣೆ ಮತ್ತು ಸೀಲಬಲ್ ಕಟ್‌ಔಟ್‌ಗಳನ್ನು ಹಾಕಿಸಲು ಮತ್ತು ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆದ ಒಂದು ವರ್ಷದ ಅವಧಿಯೊಳಗೆ ಉಂಟಾಗಬಹುದಾದ ದೋಷಯುಕ್ತ ಸೇವಾಮಾರ್ಗ/ಸಾಮಾಗ್ರಿಗಳನ್ನು ಗುತ್ತಿಗೆದಾರರ ಮುಖಾಂತರ ನನ್ನ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಸರಪಡಿಸಲು/ಬದಲಾಯಿಸಲು ಒಪ್ಪಿದ್ದೇನೆ.

೨. ಮೇಲಿನ 4 ನೇ ಕ್ರಮಾಂಕದಲ್ಲಿ ವಿವರಿಸಿರುವತೆ ನನಗೆ ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಮೊಬಲಗನ್ನು ಈ ಸ್ಥಾವರಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಲೆಕ್ಕಕ್ಕೆ ಹೊಂದಾಣಿಕೆ ಮಾಡಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇನೆ.

ಸ್ಟ್ಯಾಂಪು

ಬಳಕೆದಾರರ ಸಹಿ

...ರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

ಹೊಸ ಸಂಪರ್ಕ

(2)

..... ಅವರ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಸಂಪರ್ಕಗಳ ಬಿಲ್ ನಮೂನೆ

ತಾಂತ್ರಿಕ ವಿಭಾಗ

(ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ)

Public water pump purpose

ತೇವಣಿ ರೂ. 9140/- ರಶೀದಿ ಸಂಖ್ಯೆ 826609590242 ದಿನಾಂಕ 9-6-2020

ಕಾರಣಾ ಶುಲ್ಕ ರೂ. — ರಶೀದಿ ಸಂಖ್ಯೆ — ದಿನಾಂಕ —

ಭದ್ರತಾ ಠೇವಣಿ ರೂ. ..... ರಶೀದಿ ಸಂಖ್ಯೆ ..... ದಿನಾಂಕ 2873/-

ರೂ. 2873/-

ರ್ದೇಶ ಸಂಖ್ಯೆ 2020/JHO/C9/14-4007 ದಿನಾಂಕ C-15985 10/6/2020

"14,400–ಸಿ.ಡಬ್ಲ್ಯೂ.ಐ.ಪಿ.–ಸೇವಾ ಸಂಪರ್ಕಗಳು"

ಇಂಜಿನಿಯರು (ತಾಂತ್ರಿಕ) A.K Nagaraja Rao. 10/6

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು(ವಿ.)

ದಿನಾಂಕ .....

"ಬೆಸ್ಕಾಂ", ಸಿ.ವಿ. ಲೇಔಟ್, ಬೆಂಗಳೂರು

ನಿರ್ವಹಣೆ ಮತ್ತು ಪಾಲನೆ ಘಟಕ

ನಾಂಕ .....

ಆರ್. ಆರ್. ಸಂಖ್ಯೆ .....

ಹೊಸದು

ಧಾನ : ಓವರ್ ಹೆಡ್/ಭೂಗತ–ಸಿಂಗಲ್ ಫೇಸ್/3 ಫೇಸ್

C9WS-43

ಸಂ .....

..... (ಅ)

ನ ನಮೂದಿಗೆ ಅನುಗುಣವಾಗಿ ಸಂಪರ್ಕ ಮಾರ್ಗ ಹಾಕಲಾಗಿದೆ.

ಶಾಖಾಧಿಕಾರಿ

ರೆವಿನ್ಯೂ ಶಾಖೆಯ ಉಪಯೋಗಕ್ಕೆ

ಪುಸ್ತಕದಲ್ಲಿ ಖಾತೆ ಆರಂಭಿಸಿದ ದಿನಾಂಕ.....

ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ .....

ನೆ ಬಿಲ್ಲನ್ನು ಕಳುಹಿಸಿದ್ದು .....

ಗು ರೂ. .....

ಕನಿಷ್ಠ ಶುಲ್ಕ ರೂ. .....

ಕಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ರಿಯ ಸಹಾಯಕ / ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ವಿಭಾಗ ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಆಸ್ತಿಯ ಮೌಲ್ಯ ರೂ. .....

(ಕಂಪನಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಅ)

ಮತ್ತು ರೂ. .....

(ಬಳಕೆದಾರರಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಆ)

ಒಟ್ಟು ರೂ. ..... (ಅ+ಆ)ಗಳನ್ನು ವರ್ಗೀಕರಿಸಲಾಗಿದೆ

೨. ಶ್ರೀ/ಶ್ರೀಮತಿ .....

ಅವರ ಹೆಸರಿಗೆ ರೂ. ..... ಹೊಂದಾಣಿಕೆ

ಮಾಡಲಾಗಿದ್ದು ವಿಭಾಗೀಯ ಲೆಕ್ಕದಲ್ಲಿ ಸೇರಿಸಲಾಗಿದೆ.

ಸಹಾಯಕ/ಹಿರಿಯ ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ